AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

(currently amended) A pharmaceutical, cosmetic,
dietetic or nutraceutical composition comprising:

a combination of vasoactive agents consisting of a first vasoactive agent[[;]], a second vasoactive agent[[;]], and a third vasoactive agent, wherein,

- the first vasoactive agent is visnadin or esculoside,
- the second vasoactive agent comprises is at least one compound selected from the group consisting of icarin, icarin derivatives, extracts containing icarin, Gingko biloba dimeric flavones either in a free form or complexed with phospholipids, and amentoflavone, and
- the third vasoactive agent comprises is at least one compound selected from the group consisting of escin, escin beta-sitosterol complexed with phospholipids, sericoside, sericoside complexed with phospholipids, and Centella asiatica extract in a free form or complexed with phospholipids.

2. (currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is 0.05-2% by weight of the composition,

the second vasoactive agent is 0.1-1% by weight $\underline{\text{of}}$ the composition, and

the third vasoactive agent is 0.5-2% by weight \underline{of} the composition.

- 3. (withdrawn) The composition as claimed in claim 1, wherein the icarin derivatives are selected from the group consisting of 7-hydroxyethyl-icarin, 7-ethylamino-icarin, 7-aminoethyl-icarin, 7- hydroxyethyl-3-0-rhamnosyl-icarin, 7-aminoethyl-3-rhamnosyl-icarin, 8-dihydro-icarin and glucosides thereof in 7 and 3, and 7-hydroxyethyl-7-desglucoicarin.
- 4. (currently amended) The composition as claimed in claim 1, wherein the <u>first vasoactive agent</u>, the second vasoactive agent, and the third vasoactive agent are combination of vasoactive agents is incorporated into a composition is in a form selected from the group consisting of a cream, a gel, a lotion, and a milk.
 - 5. (canceled)

6. (withdrawn-currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is Visnadin,

the second vasoactive agent comprises consists of 7-hydroxyethyl-7-desgluco-iarin and amentoflavone, and

the third vasoactive agent comprises is escin.

7. (withdrawn-currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is esculoside,

the second vasoactive agent comprises <u>consists of</u> icarin and amentoflavone, and

the third vasoactive agent comprises is escin.

8. (withdrawn-currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is Visnadin, and

the second vasoactive agent comprises consists of 7-hydroxyethyl-7-desgluco-icarin and *Gingko biloba* dimers in a free form or complexed with phospholipids.

9. (currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is Visnadin,

the second vasoactive agent comprises <u>is</u> Gingko biloba dimers complexed with phospholipids, and

the third vasoactive agent comprises <u>is</u> escin betasitosterol complexed with phospholipids.

10. (withdrawn-currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is esculoside,

the second vascactive agent $\underline{\text{comprises}}$ $\underline{\text{is}}$ $\underline{\text{Gingko biloba}}$ dimers complexed with phospholipids, and

the third vasoactive agent <u>comprises</u> <u>is</u> escin betasitosterol complexed with phospholipids.

11-12. (canceled)

13. (currently amended) A pharmaceutical, cosmetic, dietetic or nutraceutical composition comprising:

a combination of vasoactive agents consisting of a first vasoactive agent[[;]], a second vasoactive agent[[;]], and a third vasoactive agent, wherein,

- the first vasoactive agent is visnadin,

Docket No. 2503-1189 Appln. No. 10/563,965

- the second vasoactive agent comprises is at least one compound selected from the group consisting of icarin, icarin derivatives, extracts containing icarin, *Gingko biloba* dimeric flavones either in a free form or complexed with phospholipids, and amentoflavone, and

- the third vasoactive agent comprises is at least one compound selected from the group consisting of escin, escin beta-sitosterol complexed with phospholipids, sericoside, sericoside complexed with phospholipids, and Centella asiatica extract in a free form or complexed with phospholipids.